DESIGN DATA


PLASTIC TANK DETAILS	
TANK DIMENSIONS	2490L x 1304W x 990H
CAPACITY	2015L
EMPTY TANK WEIGHT	112 KG
WATER DENSITY	1g/cm³
WEIGHT (WITH WATER)	2127 KG
WALL THICKNESS	8mm
DESIGN PRESSURE	ATMOSPHERIC (14.5 PSI)
DESIGN TEMP.	50°C
MATERIAL	HDPE
BAFFLE THICKNESS & TYPE	8mm, MOLDED BAFFLE
TEST	FILL TEST
TANK MOUNTING ACC. WEIGHT	12 KG
EMPTY WEIGHT (TANK WEIGHT + MOUNTING ACC.	124 KG
HYDROTEST WEIGHT	2139 KG
OPERATING WEIGHT	2139 KG

TRAILER DETAILS	
MODEL NAME	KNOTT 531590.001
TRAILER WIEGHT (KG)	480-615 KG
MAX. LOAD CAPACITY (KG)	3500 KG
FRAME MATERIAL	GALVANIZED


UNIT DETAILS	
UNIT SIZE	4797(L) X 2009(W) X 1558(H)
ENGINE TYPE	HONDA GX390
PUMP DETAIL	250 BAR 15 LPM 3400 RPM
PRESSURE WASHER ACCESSORIES WEIGHT	154 KG

	TANK LOAD	EMPTY WEIGHT (KG)	FLUID WEIGHT (KG)	TRAILER+ACCESSORIES (KG)	TOTAL WEIGHT (KG)
UNIT EMPTY WEIGHT	-	124	-	769	893
UNIT HYDROTEST WEIGHT	WATER	124	2015	769	2908
UNIT OPERATING WEIGHT	WATER	124	2015	769	2908


ASSEMBLY DETAILS				
ITEM NO.	PART NO.	DESCRIPTION	QTY	WEIGHT (KG)
00	WRH-2000L.00.0.0.000	WASHMASTER ROAD TOW 2000L (HONDA)	1	893




TOP VIEW



ISO VIEW



LEFT SIDE VIEW



FRONT VIEW

NOTE:
1.ALL THE DIMENSIONS IN mm. FOR DRAWING CLARITY, ONLY CRITICAL DIMENSIONS SHOWN. UNDIMENSIONED FEATURES CAN BE OBTAINED FROM PART DATA FILES AVAILABLE UPON REQUEST.
2.REMOVE BURRS & SHARP EDGES.
3.UNLESS OTHERWISE SPECIFIED, ALL BENT FLANGES TO BE ASSUMED 90 DEGREES.
4.DO NOT MEASURE THE DRAWING,IF DOUBT ASK FOR CLARIFICATION.
5.FINISH:DO AS PER PART DRAWING, CHECK P.O FOR RAL VALUE FOR POWDER COATING /PAINTING.

REV.	DESCRIPTION	DATE	CHECKED	APPROVED	REMARKS
-	ISSUED FOR MANUFACTURING	04-08-2025	04-08-2025	04-08-2025	

THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF DYMAC GLOBAL. IT MAY NOT BE COPIED WHOLLY OR IN PART AND IT MAY NOT BE LOANED OR DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF DYMAC GLOBAL


DyMac GLOBAL


TOLERANCES:
≤100 ± 2
≤1000 ± 3
ANG ± 0.5°

PROJECT TITLE: **WM-RT-H-2000L**

SHEET TITLE: **WASHMASTER ROAD TOW 2000L (HONDA) SALES GA**

PREPARED: R.S	DATE: 04-08-2025		
CHECKED: G.R	CUSTOMER: NA		
APPROVED: D.M	SCALE: NTS		
PART NO.: WRH-2000L.00.0.0.000	REV.: -		
DWG. NO.: DG-WRH-2000L-GA	SHEET NO.: 00 OF 00	A3	





EXPLODED VIEW

REV.	DESCRIPTION	DATE	CHECKED	APPROVED	REMARKS
-	ISSUED FOR MANUFACTURING	04-08-2025	04-08-2025	04-08-2025	

THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF DYMAC GLOBAL. IT MAY NOT BE COPIED WHOLLY OR IN PART AND IT MAY NOT BE LOANED OR DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF DYMAC GLOBAL


DyMac GLOBAL


TOLERANCES:
≤100 ± 2
≤1000 ± 3
ANG ± 0.5°

PROJECT TITLE: **WM-RT-H-2000L**


SHEET TITLE: **WASHMASTER ROAD TOW 2000L (HONDA) TECHNICAL GA**

PREPARED: R.S	DATE: 04-08-2025		
CHECKED: G.R	CUSTOMER: NA		
APPROVED: D.M	SCALE: NTS		
PART NO.: WRH-2000L.00.0.0.000	REV.: -		
DWG. NO.: DG-WRH-2000L-GA	SHEET NO.: 00 OF 00	A3	





REAR VIEW



BOTTOM VIEW

REV.	DESCRIPTION	DATE	CHECKED	APPROVED	REMARKS
-	ISSUED FOR MANUFACTURING	04-08-2025	04-08-2025	04-08-2025	

THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF DYMAC GLOBAL. IT MAY NOT BE COPIED WHOLLY OR IN PART AND IT MAY NOT BE LOANED OR DISCLOSED TO OTHERS WITHOUT THE PRIOR WRITTEN CONSENT OF DYMAC GLOBAL

DyMac GLOBAL

TOLERANCES:
≤100 ± 2
≤1000 ± 3
ANG ± 0.5°

PROJECT TITLE: **WM-RT-H-2000L**

SHEET TITLE: **WASHMASTER ROAD TOW 2000L (HONDA) TECHNICAL GA**

PREPARED: R.S	DATE: 04-08-2025		
CHECKED: G.R	CUSTOMER: NA		
APPROVED: D.M	SCALE: NTS		
PART NO.: WRH-2000L.00.0.0.000	REV.: -		
DWG. NO.: DG-WRH-2000L-GA	SHEET NO.: 00 OF 00	A3	